

Structured Cabling Tools

Tool Kits

Description

ProTool™ kits include our Dur-a-Grip™ PVC pouches with belt clip, so your tools won't fall out!

Description	Model
IS40 ProTool™ Kit with D814™ Impact tool, D-Snips™, Cable Stripper, Probe Pic, and EverSharp™ 66/110 cut blade	11291000
IS40 Pouch	11291400
IS50 ProTool™ Kit with D914S™ Impact tool, D-Snips™, Cable Stripper, and EverSharp™ 66/110 cut blade	11292000
IS50 Pouch	11292400
IS60 ProTool™ Kit with D914S™ Impact Tool, D-Snips™, Cable Stripper, Maglite®, Sharpie® and EverSharp™ 66/110 cut blade	11293000
IS60 Pouch	11293400
IS25 ProTool™ Kit with D-Snips™, Cable Knife and Maglite®	11295000
IS25 Pouch	11295400
IS15 ProTool™ Kit with D-Snips™ and Cable Knife	11296000
IS15 Pouch	11296400
Electrical Contractor Telecom Kit I with TS®30 Test Set, D814™ Impact Tool, D-Snips™, Cable Stripper, Probe Pic, four-wire standard banjo modular adapter, and EverSharp™ 66/110 cut blade	11290000
Electrical Contractor Telecom Kit II with Pro3000™ Analog Tone & Probe Kit, D814™ Impact Tool, D-Snips™, Cable Stripper, Probe Pic, four-wire standard banjo modular adapter, and EverSharp™ 66/110 cut blade	11289000
Soft fabric zippered case for Electrical Contractor Telecom Kits	11289400



Multi-pair Impact Tools

D-Impactor™ (5-pair 110 impact tool)	10059000
Replacement blade for D-Impactor™	10059030
JackRapid™ Punchdown Tool (for Leviton 41106, 41108, 5G108)	10059600
JackRapid™ Replacement Blade Head (for Leviton 41106, 41108, 5G108)	10059601
JackRapid™ Punchdown Tool (for SYSTIMAX M1BH, C5, MPS100E and Uniprise: UNJ300, UNJ500, UNJ600)	10059630
JackRapid™ Replacement Blade Head (for SYSTIMAX M1BH, C5, MPS100E and Uniprise: UNJ300, UNJ500, UNJ600)	10059603
Available soon – check with your distributor for details:	
JackRapid™ Punchdown Tool (for Leviton 5G110, 61110, 6110G)	10059620
JackRapid™ Replacement Blade Head (for Leviton 5G110, 61110, 6110G)	10059602
JackRapid™ Punchdown Tool (for SYSTIMAX MGS400, MGS500)	10059640
JackRapid™ Replacement Blade Head (for SYSTIMAX MGS400, MGS500)	10059604



Punchdown Tools

D914S™ Impact Tool with SoftTouch™ handle plus hook and spudger	10061000
D914S™ Impact Tool with EverSharp™ 66 Blade	10061100
D914S™ Impact Tool with EverSharp™ 110 Blade	10061110
D914S™ Impact Tool with EverSharp™ 110 & EverSharp™ 66 Blade	10061120
D914S™ Impact Tool with EverSharp™ 110, EverSharp™ 66 Blade and Free Blade	10061501
D914S™ Impact Tool with BIX and EverSharp™ 66/110 Cut Blade	10061503
D914S™ Impact Tool with EverSharp™ 66/110 Cut Blade	10061810
D914™ Impact Tool with hook and spudger	10051000
D914™ Impact Tool with EverSharp™ 66 Blade	10051100
D914™ Impact Tool with EverSharp™ 110 Blade	10051110
D914™ Impact Tool with EverSharp™ 110 & EverSharp™ 66 Blade	10051120
D914™ Impact tool with EverSharp™ 110, EverSharp™ 66 Blade and Free Blade	10051501
D814™ Impact Tool	10054000
D814™ Impact Tool with EverSharp™ 66 Blade	10055000



Structured Cabling Tools

Punchdown Tools *(continued)*

Description	Model
D814™ Impact Tool with EverSharp™ 110 Blade	10055110
D814™ Impact Tool with EverSharp™ 110 & EverSharp™ 66 Blade	10055200
D814™ Impact Tool with EverSharp™ 110, EverSharp™ 66 Blade and Free Blade	10055501
D814™ Impact Tool with BIX & EverSharp™ 66/110 Cut Blade	10055503
D214™ Non-Impact Tool	10050000
D214™ Non-Impact Tool with EverSharp™ 66 Blade	10050100
D214™ Non-Impact Tool with EverSharp™ 110 Blade	10050110




Blades

66 blade	10056000
8762D-66 Extra Long Loop through Blade	10056002
8762D-66 Extra Long Cutter Blade	10056003
66 Blade, bulk (must be ordered in multiples of 100)	10056225
EverSharp™ 66 Blade	10056500
EverSharp™ 110 blade	10176500
EverSharp™ 110/66 Cut Blade	10178600
630 Blade	10057000
110 Blade	10176000
110 Blade, bulk (must be ordered in multiples of 100)	10176225
Centerpunch Blade	10436001
3M System D Blade	10465001
Krone Blade	10565000
Dually Krone/110 Cut Blade	10565110
Wood Screw Starter Punch	10645001
BIX Blade	10665000
Blade Storage Case	10979002
66 Blade Kit (includes two 66 blades, one 630 blade, and one Wood Screw Starter Punch in a storage case)	10979003
110 Blade Kit (includes two 110 blades, one 630 blade, and one Wood Screw Starter Punch in a storage case)	10979004
Screwdriver Blade (D914 or D914S only)	10051200
Torque Adapter Blade (D914 or D914S only)	10051300



Crimpers, Strippers, Pliers, Can Wrench, Probe Pic

Electricians' Snips	44500000
Cable Splicing Knife	44400000
Electricians' D-Snips™ Scissors	44300000
Double slotted stripper 22/24 gauge	44200013
Double slotted stripper with cutter, 22/24 gauge	44210013
Double slotted stripper with cutter, 24/26 gauge	44210015
Coax Stripper, 2-level	11231257
Coax Stripper, 2 & 3-level	11231255
Cable Stripper (round cable)	11230002
Modular Crimper for RJ45, RJ11 and RJ12 connectors, with embedded flat cable cutter and stripper	11212530
Need-L-Lock™ Crimping Pliers (four-in-one tool with needle nose pliers, UR/UY/UG crimper, wire cutter and wire stripper)	11294000
Can Wrench, hex head	44007000
Can Wrench with Stripper, 22 gauge	44507003
Can Wrench with Stripper, 24 gauge	44507004
Security key insert	10660001
Probe Pic, 105 degree	44600000



Telecom Test Sets

ISDN Test Sets (North American T1 standard only)

Description

TS®250 ISDN Basic Rate Test Set (U&ST) with ABN
 TS®250 ISDN Basic Rate Test Set (U&ST) with 346A plug

Model

25475000
 25475004



Analog POTS Test Sets

ADSL Splitter	10410100
TS®44DLX Test Set with ABN	44801009
TS®44DLX Test Set with 346A plug	44801004
TS®44DLX Test Set with Piercing Pin Clips	44801001
TS®42DLX Test Set with ABN	42801009
TS®42DLX Test Set with 346A Plug	42801004
TS®42DLX Test Set with Piercing Pin Clips	42801001
TS®30 Test Set with ABN	30800009
TS®30 Test Set with Piercing Pin Clips	30800001
TS®120 Test Set with Alligator Clips (for use outside of North America only, 67/33 break/make ratio)	12001005
TS®25D Test Set with ABN Kit (includes Pouch and Earpiece)	25501109
TS®25D Test Set with ABN	25501009
TS®25D Test Set with 346A Plug	25501004
TS®25D Pouch	25500400
TS®25D Battery Door with Belt Clip	25500300
TS®25D Earpiece	25500100
TS®22A Test Set with ABN	22801009
TS®22A Test Set with Ground Start Cord	22801007
TS®22A Test Set with 346A Plug	22801004
TS®22A Test Set with Piercing Pin Clips	22801001
TS®22 Test Set with ABN	22800009
TS®22 Test Set with Ground Start Cord	22800007
TS®22 Test Set with 346A Plug	22800004
TS®22 Test Set with Piercing Pin Clips	22800001
TS®19 Test Set with ABN	19800009
TS®19 Test Set with Banana Jacks to Alligator Clips	19800003



ADSL/POTS Test Sets

TS®1200 ADSL/POTS Test Set with ABN	25800019
TS®1200 ADSL/POTS Test Set, Load Coil Detection version with ABN	25800119
TS®1200 ADSL/POTS Test Set, Load Coil Detection version with Combination Cord	25800124
SpotCheck™ ADSL Presence Tester	30500000




Telecom Line Cords

Linecords and Accessories


Description

Description	Model
TS®19 Linecord, RJ11 to piercing pin	P1980001
TS®19 Linecord, RJ11 to banana jack	P1980003
TS®19 Linecord, RJ11 to ground start	P1980007
TS®19 Linecord, RJ11 to ABN	P1980009
TS®250/220 Linecord, RJ45/ABN, short	P2501001
TS®250/220 Linecord, 346A plug	P2501002
TS®1200 Linecord, ABN standard	P2583019
TS®1200 Linecord, ABN with loadcoil detection	P2583119
TS®1200 Linecord, 346A with loadcoil detection	P2583124
TS®1200 Power Supply, 12VDC, 5%, 600MA	P2584001
TS®30/TS®120 Linecord, piercing pin only	P3080001
TS®30/TS®120 Linecord, ABN with piercing pin	P3080009
TS®22/TS®25D Linecord, straight clip BN with pin	P3218024
TS®22 Linecord, ground start cord	P3218025
TS®22/TS®25D Linecord, angled piercing pin only	P3218028
TS®22/TS®25D Linecord, ABN/PP	P3218234
TS®22/TS®25D Linecord, ABN no pin	P3218260
Test Set Clip, ABN no pin	P3218261
TS®22/25D/44/42 Linecord, 471A plug with alligator	P3218442
CITS21 Linecord, RJ11 to ABN	P3224022
TS®44/42 Replacement Locking Belt Clip	P4080248
TS®44/42 Replacement Non-Locking Belt Clip	P4080249
TS®44/42 Linecord, piercing pin only	P4480001
TS®44/42 Linecord, 346A plug	P4480004
TS®44/42 Linecord, ABN/PP	P4480009
TS®44/42 Linecord, ABN/PP w/RJ11	P4480RJ9
TS®45 replacement cord, ABN/PP	P4580109




Modular Adapters

4-wire Modular Adapter	10113000
4-wire In-line Modular Adapter	10210100
4-wire In-line Modular Adapter with K-Plug	10210101
6-wire In-line Modular Adapter	10220100
6-wire In-line Modular Adapter with K-Plug	10220101
8-wire In-line Modular Adapter	10230100
8-wire In-line Modular Adapter with K-Plug	10230101
Spare Modular Adapter 4/6-wire cords, 5-pack	10200000
Spare Modular Adapter K-plug 4/6-wire cords, 5-pack	10200101
Spare Modular Adapter 8-wire cords, 5-pack	10300000
Spare Modular Adapter K-plug 8-wire cords, 5-pack	10300101



Structured Cabling Testers

Toners & Probes



Description	Model
Pro3000™ Analog Tone and Probe Kit	26000900
Pro3000™ Analog Probe	26100900
Pro3000™ Analog Tone Generator	26200900
Pro3000™ Analog Probe replacement tip	26100103
Pro3000™ Analog Tone and Probe Kit Pouch only	26400000
Earpiece for Pro3000™/Pro2000™ Probe	26300000
IntelliTone™ Pro 200 Digital Toner and Probe Kit	MT-8200-60A
IntelliTone™ Pro 100 Digital Toner and Probe Kit	MT-8200-50A
IntelliTone™ Pro 200 Digital Toner	MT-8200-61A
IntelliTone™ Pro 100 Digital Toner	MT-8200-51A
IntelliTone™ Pro 200 Digital Probe	MT-8200-63A
IntelliTone™ Pro 100 Digital Probe	MT-8200-53A
IntelliTone™ Pro Case	MT-8202-05
IntelliTone™ Pro Test Leads with Bed of Nails	MT-8203-20
IntelliTone™ Pro Test Leads with Alligator Clips	MT-8203-22

Copper Qualification Testers



CableIQ™ Qualification Tester	CIQ-100
CableIQ™ Advanced IT Kit	CIQ-KIT
CableIQ™ Residential Qualifier Kit	CIQ-KRQ
CableIQ™ Remote Identifier Kit 2-4	CIQ-IDK24
CableIQ™ Service Kit	CIQ-SVC
CableIQ™ Remote Identifier Kit 5-7	CIQ-IDK57
CableIQ™ Coax Adapter Kit	CIQ-COAX
CableIQ™ Speaker Wire Adapter	CIQ-SPKR
CableIQ™ RJ45/11 Modular Adapter	CIQ-RJA
CableIQ™ IT Hard Carrying Case	CIQ-CIT
Bare Wire Adapter	CLIP-SET
ToolPak Hanging Kit	TPAK

Copper Verification Testers



MicroScanner™ Pro Cable Verification Tester with TDR	MT-8200-32A
MicroScanner™ Pro VDV Kit	MT-8200-24A
MicroScanner™ Pro Carry Case	MT-8202-04
MicroScanner™ Pro Coax Adapter	MT-8203-15
MicroScanner™ Pro Bare Wire Adapter	MT-8203-16
MicroScanner™ Pro Office/Room ID Kit	MT-8203-17
MicroMapper™ Wiremap Tester with split pair detection	MT-8200-49A
620 LAN CableMeter	620
620 Cable Identifiers 2 – 4	N6201
620 Cable identifiers 5 – 8	N6202
TS®100 Cable Fault Finder with TDR for up to 3000 feet with BNC to alligator clips	26500000
TS®100 Cable Fault Finder with TDR for up to 3000 feet with BNC to banana to ABN	26500500
TS®100 Metric Cable Fault Finder with TDR for up to 900 meters with BNC to alligator clips	26500610
TS®90 Cable Fault Finder with TDR for up to 2500 feet with BNC to alligator clips	26500090
TS®100/TS®90 linecord, BNC to alligator clip	26501100
TS®100/TS®90 pouch with belt clip	26501160
TS®100/TS®90 linecord, BNC to F (MALE)	26501200
TS®100/TS®90 linecord, BNC to F (FEMALE)	26501300
TS®100/TS®90 linecord, banana	26501600
TS®100/TS®90 linecord, BNC to banana to ABN	26501700


Structured Cabling Testers

Fiber Testers



Basic SimpliFiber Kit with Power Meter, 850/1300 Source and Carrying Case	FTK150
Multimode SimpliFiber Kit with Power Meter, 850/1300 Source, VisiFault VFL, FiberViewer (FT120) and Carrying Case	FTK300
Complete SimpliFiber Kit with Power Meter, 850/1300 Source, 1310 Source, 1550 Source, VisiFault VFL, FiberViewer (FT120) and Carrying Case	FTK400
Copper/Fiber Technicians Kit with Multimode SimpliFiber Kit (FTK300) and CableIQ Advanced IT Kit (CIQ-KIT)	CIQ-FTK
SimpliFiber 850/1300 Source/Meter Pair with Pouch (SC)	8250-04
SimpliFiber 850/1300 Source/Meter Pair with Pouch (ST)	8250-02
SimpliFiber Power Meter (detects 850, 1300, 1310 and 1550 wavelengths)	8250-12
SimpliFiber 850/1300 Source (SC)	8251-13
SimpliFiber 850/1300 Source (ST)	8251-03
SimpliFiber 1310 Source (SC)	8251-11
SimpliFiber 1310 Source (ST)	8251-01
SimpliFiber 1550 Source (SC)	8251-12
SimpliFiber 1550 Source (ST)	8251-02
CertiFiber multimode fiber certification kit	8240-04
FiberInspector Pro video microscope	FT600
FiberViewer (200x magnification)	FT120
FiberViewer (400x magnification)	FT140
VisiFault Visual Fault Locator	VISIFAULT

Fiber Accessories



VisiFault Adapter (Universal 1.25mm)	NF380
Mandrel Kit for 3mm 50um and 62.5um fiber cable	NFK1-MANDREL-KIT
Mandrel for 3mm 50um fiber cable	NF-MANDREL-50
Mandrel for 3mm 62.5um fiber cable	NF-MANDREL-625
Fiber Cleaning Kit	NF430
Connector Adapter (ST)	8002-15
Connector Adapter (SC)	8002-16
Connector Adapter (FC)	8002-17
Connector Adapter (Universal 1.25mm)	8002-18
Fiber Optic Adapter (ST/ST)	NF300SM
Fiber Optic Adapter (SC/SC)	NF310SM
FiberInspector Probe Adapter Tip (MT-RJ)	NF360
FiberInspector Probe Adapter Tip (LC)	NF362
Accessory Kit, 62.5um (MT-RJ)	NFK1-MTRJ
Accessory Kit, 50um (MT-RJ)	NFK2-MTRJ

Network Verification Testers



LinkRunner™ Network Multimeter	LINKRUNNER
LinkRunner Cable ID Kit (#1-8)	CABLE ID KIT
LinkRunner Carry Case	LR-CASE













NETWORK SUPERVISION








Fluke Networks
P.O. Box 777, Everett, WA USA 98206-0777

Fluke Networks operates in more than 50 countries worldwide. To find your local office contact details, go to www.flukenetworks.com/contact.

©2006 Fluke Corporation. All rights reserved.
Printed in U.S.A. 7/2006 2446232 C-ENG-N Rev C

Network SuperVision Solutions™ for the installation, maintenance, troubleshooting and testing of telecom and datacom cabling.
Visit www.flukenetworks.com for more product information.

												
Ordering Information:	CIQ-KRQ	MT-8200-24A	LINKRUNNER	26500000 26500500	26500090	MT-8200-49A	MT-8200-60A	26000900	FTK300 FTK400	VisiFault	FT600	FT120 (200X) FT140 (400X)
Cable testing	Qualifies cables to support voice, video coax, VoIP, 10/100/Gig Ethernet	•										
Documents test results	•								•			
Wiemap	•	•	•			•						
Split pair detection	•	•	•			•						
Cable length	•	•	•									
Distance to fault	•	•		•	•							
Maps a bridge-tapped telco system	•	•										
Continuity	•	•	•						•	•		
Auto detects source wavelength												
Identifies fiber breaks/faults										•		
Fiber connector endface inspection											•	•
Bulkhead fiber connector inspection											•	
Verifies optical power/fiber link loss									•			
Dual magnification (250X & 400X)												•
Cabling media supported												
Bare wire	•	•		•	•			•				
RJ45 terminated UTP/FTP	•	•	•			•	•	•				
RJ11/12 terminated voice	•	•					•	•				
Coax	•	•		•	•		•	•				
Security wire	•	•		•	•		•	•				
Speaker systems	•			•	•			•				
Terminated multimode/singlemode optical fiber									•	•		•
Device/Service Detection												
10/100 switches (speed/duplex)	•	•		•								
Gig switches (speed/duplex/pairing)	•		•									
Live phone lines	•						•					
Bridge taps	•											
Video signal	•											
ISDN service/token ring service			•									
Establish link			•									
Ping/DHCP			•									
Cable/wire locating												
UTP/FTP cable identifiers	•	•	•									
Coax cable identifiers	•	•										
Analog toning	•	•		•	•		•	•				
Digital toning (for active networks)	•	•					•					
Blinks hub light	•	•										
SmartTone™ (for isolating individual pairs)			•	•	•		•	•				
Fiber location and polarity									•	•		

	 TS® 44DLX	 TS® 42DLX	 TS® 22A	 TS® 22	 TS® 25D	 TS® 30 TS® 120	 TS® 19
Extended range high-impedance DataSafe® operation in monitor mode	•	•			•		
High-impedance DataSafe® operation in monitor mode	•	•	•		•	•	•
Data lockout protection	•				•		
Data lockout override	•				•		
DSL/POTS filtering technology	•	•			•		
Low/high voltage indication	•	•			•		
Low current (mA) indication	•	•			•		
Over voltage protection	•	•	•	•	•	•	•
Over current protection	•	•	•	•	•	•	•
Two-way speakerphone for true hands-free conversations	•	•	•				
One-way amplified speaker for hands-free monitoring	•	•	•	•	•		
Audible ringer for callbacks	•	•	•	•	•	•	•
Waterproof – exceeds American Military Spec. MIL-STD-810E*	•	•					
RainSafe™ – safe in severe weather conditions	•	•	•		•	•	•
DropSafe™ – passes 20 foot drop test onto concrete	•	•	•	•	•	•	•
Meets Bellcore specifications	•	•	•	•	•	•	•
Tone and pulse operation	•	•	•	•	•	•	•
Polarity indication in talk mode	•	•	•	•	•	•	•
PBX pause button	•	•	•	•	•		
Stores nine 18-digit numbers in repertory dialer (speed dialing)	•	•	•	•	•		
Replaceable 9V battery for powering speaker	•	•	•	•	•		